

WYMIAR	DLUGOŚĆ	Kolu	ILOŚĆ	Kol	WAGA	Kolumna1
20x20x2	6 mb	mb	33	szt	1,13	kg
25x25x1,2	6 mb		65	szt	0,897	kg
25x25x1,5	6 mb		72	szt	1,107	kg
25x25x2	6 mb		118	szt	1,45	kg
25x25x3	6 mb		55	szt	2,072	kg
30x15x2 owal	6 mb		76	szt	1,287	kg
30x20x2	6 mb		231	szt	1,45	kg
30x20x3	6 mb		270,5	szt	1,891	kg
30x25x2	6 mb	mb	37	szt	1,601	kg
30x30x2	6 mb		26	szt	1,758	kg
30x30x3	6 mb		104	szt	2,543	kg
35x20x2 owal	6,45	mb	47	szt	1,758	kg
35x35x2	6 mb		250	szt	2,072	kg
40x20x1,5	6 mb		83	szt	1,342	

tel. 24 365-64-68 ul. Wołodajowskieg 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net

40x20x2	6 mb	60 szt	1,758 kg
40x20x2	7,90 mb	6 szt	1,758 kg
40x20x3	4,9 mb	93 szt	2,543 kg
40x20x4	6 mb	50 szt	3,266 kg
40x30x2	6 mb	57 szt	2,072 kg
40x40x1,5	6 mb	18 szt	1,813 kg
40x40x3	6 mb	10 szt	3,485 kg
50x20x3	6 mb	70,5 szt	3,014 kg
50x20x3 ocynk	6 mb	84 szt	3,014 kh
50x25x1,5	6 mb	25 szt	1,696 kg
50x25x3	6 mb	48 szt	3,25 kg
50x30x2	6 mb	85 szt	2,386 kg
50x30x3	6 mb	10 szt	3,485 kg
50x40x4 Patryk	6 mb	7,5 szt	5,15 kg
50x50x17,5x3 bramowy	6 mb	12 szt	3,85 kg

tel. 24 365-64-68 ul. Wołodyjowskieg 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net

50x50x3	6 mb	186,5	szt	4,427	kg
55x45x3 ocynk	6 mb	60	szt	4,427	kg
60x15x1	6 mb	7	szt	1,146	kg
60x20x2	3-4 mb mb	3	szt	2,386	kg
60x20x2	6 mb	34	szt	2,386	kg
60x20x3	6 mb	24,5	szt	3,485	kg
60x30x3	6 mb	28	szt	4,231	kg
60x30x4	6 mb	14	szt	5,15	kg
60x40x2	6 mb	50,5	szt	3,014	kg
60x40x3	6 mb	134	szt	4,427	kg
60x40x4 wystające boczki	6 mb	100	szt	5,778	kg
60x60x2	6 mb	113,5	szt	3,642	kg
60x60x3	6 mb	104	szt	5,369	kg
60x60x5	6 mb	30	szt	8,635	kg
65x65x5	5 mb	30	szt	9,42	kg
70x70x3	6 mb	4	szt	6,311	kg
80x20x1,2-1,5 E220+CR2	6 mb	31	szt	2,284	kg
80x20x1,5	6 mb	144	szt	2,284	kg
80x20x2	6 mb	30	szt	3,014	kg
80x30x2	6 mb	43	szt	3,328	kg
80x40x2	6 mb	14	szt	3,642	kg
80x40x3	6 mb	88	szt	5,369	kg
80x40x3 ocynk	6 mb	9,5	szt	5,369	kg

tel. 24 365-64-68 ul. Wołodjowskię 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net

80x40x4	6 mb	11 szt	7,034	
80x50x2 z dziubkiem	6 mb	48 szt	3,956	kg
80x50x3	6 mb	64 szt	5,84	kg
80x60x2	6 mb	18 szt	4,27	kg
80x80x3	6 mb mb	83,5 szt	7,253	kg
80x80x4	6 mb	46 szt	9,546	kg
90x90x3	6 mb	34 szt	8,195	kg

90x90x4	6 mb	36 szt	10,802 kg
100x20x2	6 mb	13 szt	3,642 kg
100x80x5	5 mb	21 szt	13,345 kg
100x100x3	6 mb	31 szt	9,137 kg
100x100x4	6 mb	60 szt	12,058 kg
100x100x4	12 mb	0,5 szt	12,058 kg
100x100x5	od 4do 8 mb mb	18,5 szt	14,915 kg
120x60x2 ocynk	6 mb	44,5 szt	5,526 kg
120x60x3	6 mb	44,5 szt	8,195 kg
120x120x4	6 mb	19 szt	14,57 kg
135x135x3,5	6 - 12 mb mb	40 szt	14,452 kg

tel. 24 365-64-68 ul. Wołodyjowskieg 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net



tel. 24 365-64-68 ul. Wołodyjowskieg 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net





tel. 24 365-64-68 ul. Wołodyjowskieg 4

kom. 697-009-869 biuro@stalmet.net 09-411 Biała k/ Płocka fax. 24 365-64-67 www.stalmet.net

